

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
email	varchar(255)	Yes	NULL	
user_id	varchar(255)	No		
lower_user_id	varchar(255)	No		
display_name	varchar(255)	Yes	NULL	
quota	varchar(32)	Yes	NULL	
last_login	int(11)	No	0	
backend	varchar(64)	No		
home	varchar(1024)	No		
state	smallint(6)	No	0	0: initial, 1: enabled, 2: disabled, 3: deleted

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
account_id	bigint(20)	No		
term	varchar(191)	No		

Spalte	Typ	Null	Standard	Kommentare
activity_id	bigint(20)	No		
timestamp	int(11)	No	0	
priority	int(11)	No	0	
type	varchar(255)	Yes	NULL	
user	varchar(64)	Yes	NULL	
affecteduser	varchar(64)	No		
app	varchar(255)	No		
subject	varchar(255)	No		
subjectparams	text	No		
message	varchar(255)	Yes	NULL	
messageparams	text	Yes	NULL	
file	varchar(4000)	Yes	NULL	
link	varchar(4000)	Yes	NULL	
object_type	varchar(255)	Yes	NULL	
object_id	bigint(20)	No	0	

Spalte	Typ	Null	Standard	Kommentare
mail_id	bigint(20)	No		
amq_timestamp	int(11)	No	0	
amq_latest_send	int(11)	No	0	
amq_type	varchar(255)	No		
amq_affecteduser	varchar(64)	No		
amq_appid	varchar(255)	No		
amq_subject	varchar(255)	No		
amq_subjectparams	varchar(4000)	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
uri	varchar(255)	Yes	NULL	
synctoken	int(10)	No	1	
addressbookid	int(11)	No		
operation	smallint(6)	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
principaluri	varchar(255)	Yes	NULL	
displayname	varchar(255)	Yes	NULL	
uri	varchar(255)	Yes	NULL	
description	varchar(255)	Yes	NULL	
synctoken	int(10)	No	1	

Spalte	Typ	Null	Standard	Kommentare
announcement_id	int(11)	No		
announcement_time	int(11)	No	0	
announcement_user	varchar(64)	No		
announcement_subject	varchar(512)	No		
announcement_message	longtext	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
appid	varchar(32)	No		
configkey	varchar(64)	No		
configvalue	longtext	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
uid	varchar(64)	No		
login_name	varchar(64)	No		
password	longtext	Yes	NULL	
name	longtext	No		
token	varchar(200)	No		
type	smallint(5)	No	0	
last_activity	int(10)	No	0	
last_check	int(10)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
url	varchar(4096)	No		
title	varchar(140)	No		
user_id	varchar(64)	No		
description	varchar(4096)	No		
public	smallint(6)	Yes	0	
added	int(10)	Yes	0	
lastmodified	int(10)	Yes	0	
clickcount	int(10)	No	0	

Spalte	Typ	Null	Standard	Kommentare
bookmark_id	bigint(20)	Yes	NULL	
tag	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
uri	varchar(255)	Yes	NULL	
synctoken	int(10)	No	1	
calendarid	int(11)	No		
operation	smallint(6)	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
calendardata	longblob	Yes	NULL	
uri	varchar(255)	Yes	NULL	
calendarid	int(10)	No		
lastmodified	int(10)	Yes	NULL	
etag	varchar(32)	Yes	NULL	
size	bigint(20)	No		
componenttype	varchar(8)	Yes	NULL	
firstoccurence	bigint(20)	Yes	NULL	
lastoccurence	bigint(20)	Yes	NULL	
uid	varchar(255)	Yes	NULL	
classification	int(11)	Yes	0	0 - public, 1 - private, 2 - confidential

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
principaluri	varchar(255)	Yes	NULL	
displayname	varchar(255)	Yes	NULL	
uri	varchar(255)	Yes	NULL	
synctoken	int(10)	No	1	
description	varchar(255)	Yes	NULL	
calendarorder	int(10)	No	0	
calendarcolor	varchar(255)	Yes	NULL	
timezone	longtext	Yes	NULL	
components	varchar(20)	Yes	NULL	
transparent	smallint(6)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
uri	varchar(255)	Yes	NULL	
principaluri	varchar(255)	Yes	NULL	
source	varchar(255)	Yes	NULL	
displayname	varchar(100)	Yes	NULL	
refreshrate	varchar(10)	Yes	NULL	
calendarorder	int(10)	No	0	
calendarcolor	varchar(255)	Yes	NULL	
striptodos	smallint(6)	Yes	NULL	
stripalarms	smallint(6)	Yes	NULL	
stripattachments	smallint(6)	Yes	NULL	
lastmodified	int(10)	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
addressbookid	int(11)	No	0	
carddata	longblob	Yes	NULL	
uri	varchar(255)	Yes	NULL	
lastmodified	bigint(20)	Yes	NULL	
etag	varchar(32)	Yes	NULL	
size	bigint(20)	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
addressbookid	bigint(20)	No	0	
cardid	bigint(20)	No	0	
name	varchar(64)	Yes	NULL	
value	varchar(255)	Yes	NULL	
preferred	int(11)	No	1	

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
displayname	varchar(64)	No		
name	varchar(64)	No		
protocol	varchar(64)	No		
enabled	tinyint(1)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
conversation_id	varchar(200)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
convid	varchar(255)	No		
timestamp	bigint(20)	No		
user	varchar(255)	No		
message	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
sender	varchar(64)	No		
receiver	varchar(64)	No		
receiver_session_id	varchar(64)	No		
command	mediumtext	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
conversation_id	varchar(200)	No		
user	varchar(64)	No		
joined	bigint(20)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
user	varchar(64)	No		
session_id	varchar(2000)	No		
last_online	bigint(20)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
parent_id	int(10)	No	0	
topmost_parent_id	int(10)	No	0	
children_count	int(10)	No	0	
actor_type	varchar(64)	No		
actor_id	varchar(64)	No		
message	longtext	Yes	NULL	
verb	varchar(64)	Yes	NULL	
creation_timestamp	datetime	Yes	NULL	
latest_child_timestamp	datetime	Yes	NULL	
object_type	varchar(64)	No		
object_id	varchar(64)	No		

Spalte	Typ	Null	Standard	Kommentare
user_id	varchar(64)	No		
marker_datetime	datetime	Yes	NULL	
object_type	varchar(64)	No		
object_id	varchar(64)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
userid	varchar(255)	No		
contactid	int(10)	No	0	
name	varchar(64)	Yes	NULL	
value	varchar(255)	Yes	NULL	
preferred	int(11)	No	1	

Spalte	Typ	Null	Standard	Kommentare
user	varchar(64)	No		
identifizier	varchar(64)	No		
credentials	longtext	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
group_id	bigint(20)	No		
uri	varchar(255)	No		
display_name	varchar(64)	No		

Spalte	Typ	Null	Standard	Kommentare
group_id	bigint(20)	No		
user_id	varchar(64)	No		
role	int(11)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
propertypath	varchar(255)	No		
propertyname	varchar(255)	No		
propertyvalue	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
principaluri	varchar(255)	Yes	NULL	
type	varchar(255)	Yes	NULL	
access	smallint(6)	Yes	NULL	
resourceid	int(10)	No		
publicuri	varchar(255)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
es_id	varchar(64)	No		Related editing session id
uid	varchar(64)	Yes	NULL	
status	smallint(6)	Yes	0	
sent_on	int(10)	Yes	0	

Spalte	Typ	Null	Standard	Kommentare
member_id	int(10)	No		Unique per user and session
es_id	varchar(64)	No		Related editing session id
uid	varchar(64)	Yes	NULL	
color	varchar(32)	Yes	NULL	
last_activity	int(10)	Yes	NULL	
status	smallint(5)	No	1	
is_guest	smallint(5)	No	0	
token	varchar(32)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
seq	int(10)	No		Sequence number
es_id	varchar(64)	No		Editing session id
member	int(10)	No	1	User and time specific
opspec	longtext	Yes	NULL	json-string
optype	varchar(64)	Yes	NULL	Operation type

Spalte	Typ	Null	Standard	Kommentare
es_id	varchar(64)	No		Related editing session id
seq_head	int(10)	No		Sequence head number
member_id	int(10)	No		the member that saved the revision
file_id	varchar(512)	Yes	NULL	Relative to storage e.g. /welcome.odt
save_hash	varchar(128)	No		used to lookup revision in documents folder of member, eg hash.odt

Spalte	Typ	Null	Standard	Kommentare
es_id	varchar(64)	No		Editing session id
genesis_url	varchar(512)	Yes	NULL	Relative to owner documents storage /welcome.odt
genesis_hash	varchar(128)	No		To be sure the genesis did not change
file_id	varchar(512)	Yes	NULL	Relative to storage e.g. /welcome.odt
owner	varchar(64)	No		oC user who created the session

Spalte	Typ	Null	Standard	Kommentare
applicable_id	bigint(20)	No		
mount_id	bigint(20)	No		
type	int(11)	No		
value	varchar(64)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
config_id	bigint(20)	No		
mount_id	bigint(20)	No		
key	varchar(64)	No		
value	varchar(4096)	No		

Spalte	Typ	Null	Standard	Kommentare
mount_id	bigint(20)	No		
mount_point	varchar(128)	No		
storage_backend	varchar(64)	No		
auth_backend	varchar(64)	No		
priority	int(11)	No	100	
type	int(11)	No		

Spalte	Typ	Null	Standard	Kommentare
option_id	bigint(20)	No		
mount_id	bigint(20)	No		
key	varchar(64)	No		
value	varchar(256)	No		

Spalte	Typ	Null	Standard	Kommentare
share_id	bigint(20)	No		
remote_id	bigint(20)	No		share ID at the remote server

Spalte	Typ	Null	Standard	Kommentare
fileid	bigint(20)	No		
storage	int(11)	No	0	
path	varchar(4000)	Yes	NULL	
path_hash	varchar(32)	No		
parent	bigint(20)	No	0	
name	varchar(250)	Yes	NULL	
mimetype	int(11)	No	0	
mimepart	int(11)	No	0	
size	bigint(20)	No	0	
mtime	bigint(20)	No	0	
encrypted	int(11)	No	0	
unencrypted_size	bigint(20)	No	0	
etag	varchar(40)	Yes	NULL	
storage_mtime	bigint(20)	No	0	
permissions	int(11)	Yes	0	
checksum	varchar(255)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
fileid	int(10)	No		
check_time	int(10)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
group_id	int(10)	No	0	
status_type	int(10)	No	0	
result	int(11)	No	0	
match	varchar(64)	Yes	NULL	
description	varchar(64)	Yes	NULL	
status	int(11)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	varchar(250)	No		
user	varchar(64)	No		
timestamp	varchar(12)	No		
location	varchar(512)	No		
type	varchar(4)	Yes	NULL	
mime	varchar(255)	Yes	NULL	
auto_id	bigint(20)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
lock	int(11)	No	0	
key	varchar(64)	No		
ttl	int(11)	No	-1	

Spalte	Typ	Null	Standard	Kommentare
gid	varchar(64)	No		

Spalte	Typ	Null	Standard	Kommentare
gid	varchar(64)	No		
uid	varchar(64)	No		

Spalte	Typ	Null	Standard	Kommentare
gid	varchar(64)	No		
uid	varchar(64)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
class	varchar(255)	No		
argument	varchar(4000)	No		
last_run	int(11)	Yes	0	
last_checked	int(11)	Yes	0	
reserved_at	int(11)	Yes	0	
execution_duration	int(11)	No	-1	

Spalte	Typ	Null	Standard	Kommentare
fileid	int(11)	No	0	
status	varchar(1)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
app	varchar(177)	No		
version	varchar(14)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
mimetype	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
storage_id	int(11)	No		
root_id	bigint(20)	No		
user_id	varchar(64)	No		
mount_point	varchar(4000)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
userid	int(10)	No		
name	varchar(32)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
username	varchar(64)	No		
sync_user	varchar(128)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
collectionid	int(10)	No		
name	varchar(64)	No		
parentid	varchar(64)	Yes	NULL	
predecessorid	varchar(64)	Yes	NULL	
sortindex	int(11)	Yes	NULL	
modified	decimal(12,2)	No	0.00	
payload	longtext	No		
ttl	int(10)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
user_id	varchar(64)	No		
url_hash	varchar(32)	No		
url	longtext	No		
title	longtext	No		
link	longtext	Yes	NULL	
favicon_link	longtext	Yes	NULL	
added	bigint(20)	Yes	NULL	
articles_per_update	bigint(20)	No	0	
deleted_at	bigint(20)	Yes	0	
folder_id	bigint(20)	No		
prevent_update	tinyint(1)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
parent_id	bigint(20)	Yes	NULL	
name	varchar(100)	No		
user_id	varchar(64)	No		
opened	tinyint(1)	No	1	
deleted_at	bigint(20)	Yes	0	

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
guid_hash	varchar(32)	No		
guid	longtext	No		
url	longtext	No		
title	longtext	No		
author	longtext	Yes	NULL	
pub_date	bigint(20)	Yes	NULL	
body	longtext	Yes	NULL	
enclosure_mime	longtext	Yes	NULL	
enclosure_link	longtext	Yes	NULL	
feed_id	bigint(20)	No		
status	bigint(20)	No		
last_modified	bigint(20)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
notification_id	int(11)	No		
app	varchar(32)	No		
user	varchar(64)	No		
timestamp	int(11)	No	0	
object_type	varchar(64)	No		
object_id	varchar(64)	No		
subject	varchar(64)	No		
subject_parameters	longtext	Yes	NULL	
message	varchar(64)	Yes	NULL	
message_parameters	longtext	Yes	NULL	
link	varchar(4000)	Yes	NULL	
actions	longtext	Yes	NULL	
icon	varchar(4000)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
token	varchar(64)	No		
client_id	int(10)	No		
user_id	varchar(64)	No		
expires	int(10)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
code	varchar(64)	No		
client_id	int(10)	No		
user_id	varchar(64)	No		
expires	int(10)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
identifizier	varchar(64)	No		
secret	varchar(64)	No		
redirect_uri	varchar(2000)	No		
name	varchar(80)	No		
allow_subdomains	tinyint(1)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
token	varchar(64)	No		
client_id	int(10)	No		
user_id	varchar(64)	No		
access_token_id	int(11)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
uid	varchar(255)	No		
name	varchar(255)	No		
grouping	varchar(255)	No		
shared	longtext	No		
mtime	bigint(20)	No		
deleted	smallint(6)	No	0	
note	longtext	No		

Spalte	Typ	Null	Standard	Kommentare
pid	bigint(20)	No		
id	bigint(20)	No	0	
note	longtext	No		

Spalte	Typ	Null	Standard	Kommentare
userid	varchar(64)	No		
appid	varchar(32)	No		
configkey	varchar(64)	No		
configvalue	longtext	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
keyid	int(10)	No		
user	varchar(64)	No		
app	varchar(255)	No		
key	varchar(255)	No		
value	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
propertyname	varchar(255)	No		
propertyvalue	varchar(255)	No		
id	bigint(20)	No		
fileid	bigint(20)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
es_id	varchar(64)	No		Related editing session id
uid	varchar(64)	Yes	NULL	
status	smallint(6)	Yes	0	
sent_on	int(10)	Yes	0	

Spalte	Typ	Null	Standard	Kommentare
member_id	int(10)	No		Unique per user and session
es_id	varchar(64)	No		Related editing session id
uid	varchar(64)	Yes	NULL	
color	varchar(32)	Yes	NULL	
last_activity	int(10)	Yes	NULL	
is_guest	smallint(5)	No	0	
token	varchar(32)	Yes	NULL	
status	smallint(5)	No	1	

Spalte	Typ	Null	Standard	Kommentare
seq	int(10)	No		Sequence number
es_id	varchar(64)	No		Editing session id
member	int(10)	No	1	User and time specific
optype	varchar(64)	Yes	NULL	Operation type
opspec	longtext	Yes	NULL	json-string

Spalte	Typ	Null	Standard	Kommentare
es_id	varchar(64)	No		Related editing session id
seq_head	int(10)	No		Sequence head number
member_id	int(10)	No		the member that saved the revision
file_id	varchar(512)	Yes	NULL	Relative to storage e.g. /welcome.odt
save_hash	varchar(128)	No		used to lookup revision in documents folder of member, eg hash.odt

Spalte	Typ	Null	Standard	Kommentare
es_id	varchar(64)	No		Editing session id
genesis_url	varchar(512)	Yes	NULL	Relative to owner documents storage /welcome.odt
genesis_hash	varchar(128)	No		To be sure the genesis did not change
file_id	varchar(512)	Yes	NULL	Relative to storage e.g. /welcome.odt
owner	varchar(64)	No		oC user who created the session

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		Unique per token
owner_uid	varchar(64)	Yes	NULL	Document owner UserId - a textual user identifier (unique?)
editor_uid	varchar(64)	Yes	NULL	Document editor's UserId, can be different from uid if shared
fileid	bigint(20)	No		The unique ID of the file authorized
version	int(11)	No	0	Authorized version, if any, of given fileid
path	varchar(512)	No		Relative to storage e.g. ./welcome.odt
canwrite	tinyint(1)	No	0	Can make changes to this file
server_host	varchar(255)	No	localhost	Host from which token generation request originated
token	varchar(32)	No		File access token
expiry	int(10)	Yes	NULL	Expiration time of the token

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
oc_user	varchar(4096)	No		
mail_user	varchar(4096)	No		
mail_password	varchar(4096)	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
principaluri	varchar(255)	Yes	NULL	
calendardata	longblob	Yes	NULL	
uri	varchar(255)	Yes	NULL	
lastmodified	int(10)	Yes	NULL	
etag	varchar(32)	Yes	NULL	
size	bigint(20)	No		

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
share_type	smallint(6)	No	0	
share_with	varchar(255)	Yes	NULL	
uid_owner	varchar(64)	No		
parent	int(11)	Yes	NULL	
item_type	varchar(64)	No		
item_source	varchar(255)	Yes	NULL	
item_target	varchar(255)	Yes	NULL	
file_source	bigint(20)	Yes	NULL	
file_target	varchar(512)	Yes	NULL	
permissions	smallint(6)	No	0	
stime	bigint(20)	No	0	
accepted	smallint(6)	No	0	
expiration	datetime	Yes	NULL	
token	varchar(32)	Yes	NULL	
mail_send	smallint(6)	No	0	
uid_initiator	varchar(64)	Yes	NULL	
share_name	varchar(64)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
remote	varchar(512)	No		Url of the remove owncloud instance
share_token	varchar(64)	No		Public share token
password	varchar(64)	Yes	NULL	Optional password for the public share
name	varchar(64)	No		Original name on the remote server
owner	varchar(64)	No		User that owns the public share on the remote server
user	varchar(64)	No		Local user which added the external share
mountpoint	varchar(4000)	No		Full path where the share is mounted
mountpoint_hash	varchar(32)	No		md5 hash of the mountpoint
remote_id	bigint(20)	No	-1	
accepted	int(11)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	varchar(12)	No		
status	varchar(10)	No	'shared'	
title	varchar(1024)	No	"	
favicon	varchar(1024)	Yes	"	
source	varchar(4096)	No		
target	varchar(4096)	No		
user	varchar(64)	No		
until	date	Yes	NULL	
created	date	Yes	NULL	
accessed	bigint(20)	Yes	NULL	
clicks	bigint(20)	No	0	
notes	varchar(4096)	No	"	

Spalte	Typ	Null	Standard	Kommentare
stc_id	int(10)	No		
oc_uid	varchar(64)	No		
stc_month	bigint(20)	No		
stc_dayts	bigint(20)	No		
stc_used	double	No		
stc_total	double	No		

Spalte	Typ	Null	Standard	Kommentare
uc_id	int(10)	No		
oc_uid	varchar(64)	No		
uc_key	varchar(64)	No		
uc_val	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
id	varchar(64)	Yes	NULL	
numeric_id	int(11)	No		
available	int(11)	No	1	
last_checked	int(11)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	varchar(64)	Yes	NULL	
numeric_id	int(11)	No		
available	int(11)	No	1	
last_checked	int(11)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
name	varchar(64)	No		
visibility	smallint(6)	No	1	
editable	smallint(6)	No	1	

Spalte	Typ	Null	Standard	Kommentare
systemtagid	int(10)	No	0	
gid	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
objectid	varchar(64)	No		
objecttype	varchar(64)	No		
systemtagid	int(10)	No	0	

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
url	varchar(512)	No		Url of trusted server
url_hash	varchar(255)	No		sha1 hash of the url without the protocol
token	varchar(128)	Yes	NULL	token used to exchange the shared secret
shared_secret	varchar(256)	Yes	NULL	shared secret used to authenticate
status	int(11)	No	2	current status of the connection
sync_token	varchar(512)	Yes	NULL	cardDav sync token

Spalte	Typ	Null	Standard	Kommentare
id	int(11)	No		
user_id	varchar(64)	No		
secret	longtext	No		

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
created	datetime	No		
username	varchar(255)	No		
charttype	varchar(255)	No		
chartprovider	varchar(255)	No	c3js	
metadata	varchar(255)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	bigint(20)	No		
created	datetime	No		
username	varchar(255)	No		
usage	bigint(20)	No		

Spalte	Typ	Null	Standard	Kommentare
uid	varchar(64)	No		
displayname	varchar(64)	Yes	NULL	
password	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
backend	varchar(128)	No		
uid	varchar(64)	No		
displayname	varchar(64)	Yes	NULL	

Spalte	Typ	Null	Standard	Kommentare
id	int(10)	No		
uid	varchar(64)	No		
type	varchar(64)	No		
category	varchar(255)	No		

Spalte	Typ	Null	Standard	Kommentare
objid	bigint(20)	No	0	
categoryid	int(10)	No	0	
type	varchar(64)	No		